LOGIN NOTICE CONFIRMATION (Work Order 25D1153)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

CLIENT	Mid Shuswap Lumby Water Stewards		
PO NUMBER	Mid Shuswap Lumby Water Stewards	**QUOTATION ID**	RDNO Master Bid
PROJECT	Analytical Testing	**SUBMITTED BY**	
PROJECT INFO	[none]	**COC NO.**	40837.5581

By engaging our services, you are agreeing to CARO's Standard Terms and Conditions outlined here: https://www.caro.ca/terms-conditions

Receipt Details:

RECEIVED	2025-04-08 14:37	**SAMPLES LOGGED IN**	4
LOCATION	Kelowna Lab	**LOGGED IN**	2025-04-08 17:43
DISPOSAL DATE	5/8/2025	**ACCOUNT MGR**	Team CARO

Sample Condition Summary:

Quantity of Transport Vessels Received: 1

Receipt Temperature = 7.3°C

Broken Container(s)	No	Sampling Date(s) Missing	No	Incorrect Cont./Pres.	No	Custody Seals Intact	
Cooling Initiated	Yes	Sample(s) Frozen	No	Missing/Extra Samples	No	Documentation Issue	No
Environmental Sample(s) >10°C	No	Microbiological Sample(s) >8°C	No				

Note: *Sample transport temperatures of less than 8°C for microbiological parameters and less than or equal to 10°C for environmental parameters is recommended. Samples that exceed these values will still be processed. However, please note that the analytical results may be affected, especially for samples collected prior to the day of receipt.*

REPORT TO
Russ Collins
Mid Shuswap Lumby Water Stewards
1631 Mable Lake Rd
Lumby, BC V0E 2G6
Tel: (250) 503-8038

INCLUDE QC	No
INCLUDE COC	No
EXTRAS	Guidelines

INVOICE TO
Andrew Hunsberger
Regional District of North Okanagan - GVWU
9848 Aberdeen Road
Coldstream, BC V1B 2K9
Tel: (250) 550-3700

FREQUENCY	Monthly
GST EXEMPT	No
PAYMENT TERMS	COD
MIN AMOUNT	N/A

Delivery Plan:

REPORT DUE 2025-04-15 17:00 to 2025-04-17 17:00 (5-7 day TAT)

Contact Name	Email / Fax / Cellular	Login Notice	Report	Invoice	EDD	EDD Format	CC to	Fax	Text	Mail
Russ Collins	russ.m.collins@gmail.com	✓	✓		✓	Simple Excel				
Accounts Payable	financeap@rdno.ca			✓			russ.m.collins@gmail.com			

Analysis Schedule:

Analysis / Version	Due	Expires [1]	Status [2]	Comments

LOGIN NOTICE CONFIRMATION (Work Order 25D1153)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Analysis Schedule, Continued:

Analysis / Version	Due	Expires [1]	Status [2]	Comments
BG21 (25D1153-01) | Matrix: Water | Sampled: 2025-04-06 11:00 |				
Container(s) Submitted: *A = C11_1 L Plastic (General)* *B = C10_125 mL Plastic (H2SO4)*				
Conductivity	2025-04-17	2025-05-04	Available	
Nitrate by IC	2025-04-17	2025-04-09	Available	
pH	2025-04-17	2025-04-06	Available	
Phosphorus, Total Dissolved by Colorimetry	2025-04-17	2025-05-04	Available	
Solids, Total Dissolved	2025-04-17	2025-04-13	Available	
BG01 (25D1153-02) | Matrix: Water | Sampled: 2025-04-06 11:20 |				
Container(s) Submitted: *A = C11_1 L Plastic (General)* *B = C10_125 mL Plastic (H2SO4)*				
Conductivity	2025-04-17	2025-05-04	Available	
Nitrate by IC	2025-04-17	2025-04-09	Available	
pH	2025-04-17	2025-04-06	Available	
Phosphorus, Total Dissolved by Colorimetry	2025-04-17	2025-05-04	Available	
Solids, Total Dissolved	2025-04-17	2025-04-13	Available	
CR11 (25D1153-03) | Matrix: Water | Sampled: 2025-04-06 09:30 |				
Container(s) Submitted: *A = C11_1 L Plastic (General)* *B = C10_125 mL Plastic (H2SO4)*				
Conductivity	2025-04-17	2025-05-04	Available	
Nitrate by IC	2025-04-17	2025-04-09	Available	
pH	2025-04-17	2025-04-06	Available	
Phosphorus, Total Dissolved by Colorimetry	2025-04-17	2025-05-04	Available	
Solids, Total Dissolved	2025-04-17	2025-04-13	Available	
CR12 (25D1153-04) | Matrix: Water | Sampled: 2025-04-06 09:45 |				
Container(s) Submitted: *A = C11_1 L Plastic (General)* *B = C10_125 mL Plastic (H2SO4)*				
Conductivity	2025-04-17	2025-05-04	Available	
Nitrate by IC	2025-04-17	2025-04-09	Available	
pH	2025-04-17	2025-04-06	Available	
Phosphorus, Total Dissolved by Colorimetry	2025-04-17	2025-05-04	Available	
Solids, Total Dissolved	2025-04-17	2025-04-13	Available	

1 *Red font indicates that the analysis has already or is about to expire. Note that all pH in water / Chlorine / Temperature / Dissolved Oxygen results will be automatically be qualified as they should be analyzed in the field for greatest accuracy.*

2 *Subcontracted samples will be sent to a CARO-approved subcontract laboratory for testing, in accordance with our Terms and Conditions. For further information, please contact your account manager or teamcaro@caro.ca*

LOGIN NOTICE CONFIRMATION (Work Order 25D1153)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Each Analysis includes the following Analytes and their respective Reporting Limits [RLs]:		
Anions by IC in Water	*Reference Method: SM 4110 B (2020)*	*Units: mg/L*
Nitrate (as N) [0.01]		
Conductivity in Water	*Reference Method: SM 2510 B (2021)*	*Units: uS/cm*
Conductivity (EC) [2]		
pH in Water	*Reference Method: SM 4500-H+ B (2021)*	*Units: pH units*
pH [0.1]		
Phosphorus, Total Dissolved by Colorimetry in Water	*Reference Method: SM 4500-P B.5* (2011) / SM 4500-P F (2021)*	*Units: mg/L*
Phosphorus, Total Dissolved [0.005]		
Solids, Total Dissolved in Water	*Reference Method: SM 2540 C* (2020)*	*Units: mg/L*
Solids, Total Dissolved [15]		
Note: RLs on Final Report may be higher than expected due to: 1) limited sample volume, 2) high moisture, 3) analytical interferences		

Please verify that all of the information included in this Login Notice is correct. If there are any errors, omissions, or concerns, please contact us at 1-888-311-8846.

You can expect to receive the analytical report via email on or after the due date shown above.

Thank you for using CARO!

25D1153

ANALYTICAL SERVICES

☐ 110 - 4011 VIKING WAY, RICHMOND, BC V6V 2K9
TEL: (604) 279-1499 FAX: (604) 279-1599

☒ 102 - 3677 HIGHWAY 97N, KELOWNA, BC V1X 5C3
TEL: (250) 765-9646 FAX: (250) 765-3893

☐ 17225 - 109 AVENUE NW, EDMONTON, AB T5S 1H7
TEL: (780) 489-9100 FAX: (480) 489-9700

CHAIN-OF-CUSTODY RECORD

CARO BC COC, Rev 03/13

COC# 40837.5581 Page 1 of 1

RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE:
	TIME:		TIME:
z	DATE:	RECEIVED BY:	DATE: 04/08/25
	TIME:	Ace JB	TIME: 14:34

REPORT TO:

COMPANY: Mid Shuswap Lumby Water Steward
ADDRESS:
CONTACT: Russ Collins
TEL / TXT: 250 503 8038
EMAIL PDF ☒ EDD ☐
EMAIL 1: russ.m.collins@gmail.com
EMAIL 2: andrew.hunsberger@rdno.ca
MAIL HARDCOPY ☐ HOLD FOR P/U ☐ FAX ☐

INVOICE TO: SAME AS REPORT TO ☐

COMPANY: RDNO
ADDRESS: 9848 Aberdeen Rd
Coldstream, BC V1B 2K9
CONTACT: Andrew Hunsberger
TELEHPONE: 250 550 3722
EMAIL PDF ☒
EMAIL 1: andrew.hunsberger@rdno.ca
EMAIL 2: russ.m.collins@gmail.com
MAIL HARDCOPY ☐ HOLD FOR P/U ☐

PROJECT:	PROJECT INFO:	PO #:
Mid Shu Lumby		
SAMPLED BY:	SHIPPING INSTRUCTIONS:	RETURN COOLER(S) ☒
J.G. & R.C.	SHIP SUPPLIES (PLEASE SPECIFY IN OTHER INSTRUCTIONS SECTION)	☐

TURNAROUND Routine (4-7 days) ☒ Other:

TIME REQUESTED: Rush:* 1 Day ☐ 2 Day ☐ 3 Day ☐ * Contact the lab to confirm, surcharges may apply

ANALYSES REQUESTED:

	CLIENT SAMPLE ID:	MATRIX: DRINKING WATER	OTHER WATER	SOIL	OTHER	# CONTAINERS	SAMPLING: DATE DD-MMM-YY	TIME HH:MM	COMMENTS: CHLORINATED	FILTERED	PRESERVED	(i.e. flow/volume media ID/notes)	Chloride	Nitrogen, Nitrate as N	Nitrogen, Nitrite as N	Nitrogen, Total Kjeldahl	Nitrogen, Nitrate + Nitrite as N	Nitrogen, Total	Sulphate	Conductivity	Phosphorus, Total Kjeldahl	Phosphorus, Total Kjeldahl Dissolved	pH	Turbidity	Fecal Coliforms	E. coli	Total Coliforms	Total Ammonia-N						Total Dissolved Solids			HOLD
	BG21	☐	☒	☐	☐	2	6-Apr-25	11:00:00	☐	☐	☐		☐	☒	☐	☐	☐	☐	☐	☒	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐
	BG01	☐	☒	☐	☐	2	6-Apr-25	11:20:00	☐	☐	☐		☐	☒	☐	☐	☐	☐	☐	☒	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐
	CR11	☐	☒	☐	☐	2	6-Apr-25	09:30:00	☐	☐	☐		☐	☒	☐	☐	☐	☐	☐	☒	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐
	CR12	☐	☒	☐	☐	2	6-Apr-25	09:45:00	☐	☐	☐		☐	☒	☐	☐	☐	☐	☐	☒	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

APPLICABLE REGULATORY LIMITS:

Canadian Drinking Water Quality Guidelines ☐
BC Drinking Water Protection Act/Reg. ☐
BC CSR: AL ☐ RL ☐ CL ☐ IL ☐ AW ☐
CCME ☐ Alberta Tier 1 ☐
OTHER:

SAMPLE RETENTION INSTRUCTIONS (Discarded 30 days after Report unless otherwise specified):

60 Days ☐ 90 Days ☐ Longer Date (Surcharges will apply):

OTHER INSTRUCTIONS:

Please send results in PDF and raw Excel (no pivot table)

PAYMENT
Cheque ☐
Credit ☐
Debit ☐
Cash ☐
Invoice ☒

SAMPLE RECEIPT TEMP (°C): 7.3

Work Order # _____

CUSTODY SEALS INTACT: ☐Y ☐N ☐NA

Required Fields | Recommended Fields | SHADED AREAS: LAB USE ONLY