

CERTIFICATE OF ANALYSIS

REPORTED TO Campbell Scientific Canada Corp.
1030 Sugar Lake Rd
Cherryville, BC V0E 2G2

ATTENTION Claude Labine.

PO NUMBER

PROJECT Cherryville Waterways

PROJECT INFO

WORK ORDER 26B0187

RECEIVED / TEMP 2026-02-03 11:13 / 5.3°C

REPORTED 2026-02-08 11:00

COC NUMBER 40837.5581

Introduction:

CARO Analytical Services is a testing laboratory full of smart, engaged scientists driven to make the world a safer and healthier place. Through our clients' projects we become an essential element for a better world. We employ methods conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts. CARO is accredited by the Canadian Association for Laboratories Accreditation (CALA) to ISO/IEC 17025:2017 for specific tests listed in the scope of accreditation approved by CALA.

Big Picture Sidekicks



You know that the sample you collected after snowshoeing to site, digging 5 meters, and racing to get it on a plane so you can submit it to the lab for time sensitive results needed to make important and expensive decisions (whew) is VERY important. We know that too.

We've Got Chemistry



It's simple. We figure the more you enjoy working with our fun and engaged team members; the more likely you are to give us continued opportunities to support you.

Ahead of the Curve



Through research, regulation knowledge, and instrumentation, we are your analytical centre for the technical knowledge you need, BEFORE you need it, so you can stay up to date and in the know.

By engaging our services, you are agreeing to CARO Analytical Service's Standard Terms and Conditions outlined here: <https://www.caro.ca/terms-conditions>

If you have any questions or concerns, please contact me at djose@caro.ca

Authorized By:

Dona Anna Jose
Junior Account Manager

1-888-311-8846 | www.caro.ca

#110 4011 Viking Way Richmond, BC V6V 2K9 | #102 3677 Highway 97N Kelowna, BC V1X 5C3 | 17225 109 Avenue Edmonton, AB T5S 1H7 | #108 4475 Wayburne Drive Burnaby, BC V5G 4X4



TEST RESULTS

REPORTED TO PROJECT Campbell Scientific Canada Corp.
Cherryville Waterways

WORK ORDER REPORTED 26B0187
2026-02-08 11:00

Analyte	Result	RL	Units	Analyzed	Qualifier
Shuswap River Sihlis Road (26B0187-01) Matrix: Water Sampled: 2026-02-02 15:21					FILT, PRES
Anions					
Nitrate (as N)	0.085	0.010	mg/L	2026-02-03	
Nitrite (as N)	< 0.010	0.010	mg/L	2026-02-03	
Calculated Parameters					
Nitrate+Nitrite (as N)	0.0848	0.0100	mg/L	N/A	
Nitrogen, Total	0.184	0.0500	mg/L	N/A	
General Parameters					
Ammonia, Total (as N)	< 0.050	0.050	mg/L	2026-02-06	
Conductivity (EC)	81.3	2.0	µS/cm	2026-02-04	
Nitrogen, Total Kjeldahl	0.099	0.050	mg/L	2026-02-06	
pH	7.21	0.10	pH units	2026-02-04	HT2
Phosphorus, Total Dissolved	< 0.0050	0.0050	mg/L	2026-02-04	
Solids, Total Dissolved	115	15	mg/L	2026-02-03	
Turbidity	0.33	0.10	NTU	2026-02-03	
Microbiological Parameters					
Coliforms, Total (Q-Tray)	64	1	MPN/100 mL	2026-02-03	
E. coli (Q-Tray)	2	1	MPN/100 mL	2026-02-03	

Cherry Creek @Shuswap R. (26B0187-02) | Matrix: Water | Sampled: 2026-02-02 15:45

FILT,
PRES

Anions					
Nitrate (as N)	0.045	0.010	mg/L	2026-02-03	
Nitrite (as N)	< 0.010	0.010	mg/L	2026-02-03	
Calculated Parameters					
Nitrate+Nitrite (as N)	0.0446	0.0100	mg/L	N/A	
Nitrogen, Total	0.127	0.0500	mg/L	N/A	
General Parameters					
Ammonia, Total (as N)	< 0.050	0.050	mg/L	2026-02-06	
Nitrogen, Total Kjeldahl	0.082	0.050	mg/L	2026-02-06	
Phosphorus, Total Dissolved	< 0.0050	0.0050	mg/L	2026-02-04	
Solids, Total Dissolved	196	15	mg/L	2026-02-03	
Turbidity	0.81	0.10	NTU	2026-02-03	
Microbiological Parameters					
Coliforms, Total (Q-Tray)	126	1	MPN/100 mL	2026-02-03	
E. coli (Q-Tray)	10	1	MPN/100 mL	2026-02-03	

Ferry Creek @Shuswap R. (26B0187-03) | Matrix: Water | Sampled: 2026-02-02 16:18

FILT,
PRES



TEST RESULTS

REPORTED TO PROJECT Campbell Scientific Canada Corp.
Cherryville Waterways

WORK ORDER REPORTED 26B0187
2026-02-08 11:00

Analyte	Result	RL	Units	Analyzed	Qualifier
Ferry Creek @Shuswap R. (26B0187-03) Matrix: Water Sampled: 2026-02-02 16:18, Continued					FILT, PRES

Anions

Nitrate (as N)	0.046	0.010	mg/L	2026-02-03	
Nitrite (as N)	< 0.010	0.010	mg/L	2026-02-03	

Calculated Parameters

Nitrate+Nitrite (as N)	0.0464	0.0100	mg/L	N/A	
Nitrogen, Total	0.171	0.0500	mg/L	N/A	

General Parameters

Ammonia, Total (as N)	< 0.050	0.050	mg/L	2026-02-06	
Nitrogen, Total Kjeldahl	0.125	0.050	mg/L	2026-02-06	
Phosphorus, Total Dissolved	0.0089	0.0050	mg/L	2026-02-04	
Solids, Total Dissolved	231	15	mg/L	2026-02-03	
Turbidity	0.54	0.10	NTU	2026-02-03	

Microbiological Parameters

Coliforms, Total (Q-Tray)	151	1	MPN/100 mL	2026-02-03	
E. coli (Q-Tray)	< 1	1	MPN/100 mL	2026-02-03	

KM 1 Sugar Lake Rd. Culvert (26B0187-04) | Matrix: Water | Sampled: 2026-02-02 16:03

FILT, PRES

Anions

Nitrate (as N)	12.3	0.010	mg/L	2026-02-03	RE2
Nitrite (as N)	0.020	0.010	mg/L	2026-02-03	

Calculated Parameters

Nitrate+Nitrite (as N)	12.3	0.100	mg/L	N/A	
Nitrogen, Total	12.8	0.100	mg/L	N/A	

General Parameters

Ammonia, Total (as N)	< 0.050	0.050	mg/L	2026-02-06	
Conductivity (EC)	735	2.0	µS/cm	2026-02-04	
Nitrogen, Total Kjeldahl	0.454	0.050	mg/L	2026-02-06	
pH	8.18	0.10	pH units	2026-02-04	HT2
Phosphorus, Total Dissolved	0.0419	0.0050	mg/L	2026-02-04	
Solids, Total Dissolved	491	15	mg/L	2026-02-03	
Turbidity	3.44	0.10	NTU	2026-02-03	

Microbiological Parameters

Coliforms, Total (Q-Tray)	1040	1	MPN/100 mL	2026-02-03	
E. coli (Q-Tray)	78	1	MPN/100 mL	2026-02-03	

Shuswap River @ BC Hydro Site (26B0187-05) | Matrix: Water | Sampled: 2026-02-02 16:45

FILT, PRES



TEST RESULTS

REPORTED TO PROJECT Campbell Scientific Canada Corp.
Cherryville Waterways

WORK ORDER REPORTED 26B0187
2026-02-08 11:00

Analyte	Result	RL	Units	Analyzed	Qualifier
Shuswap River @ BC Hydro Site (26B0187-05) Matrix: Water Sampled: 2026-02-02 16:45, Continued					FILT, PRES
Anions					
Nitrate (as N)	0.083	0.010	mg/L	2026-02-03	
Nitrite (as N)	< 0.010	0.010	mg/L	2026-02-03	
Calculated Parameters					
Nitrate+Nitrite (as N)	0.0831	0.0100	mg/L	N/A	
Nitrogen, Total	0.133	0.0500	mg/L	N/A	
General Parameters					
Ammonia, Total (as N)	< 0.050	0.050	mg/L	2026-02-06	
Nitrogen, Total Kjeldahl	0.050	0.050	mg/L	2026-02-06	
Phosphorus, Total Dissolved	< 0.0050	0.0050	mg/L	2026-02-04	
Solids, Total Dissolved	115	15	mg/L	2026-02-03	
Turbidity	0.40	0.10	NTU	2026-02-03	
Microbiological Parameters					
Coliforms, Total (Q-Tray)	61	1	MPN/100 mL	2026-02-03	
E. coli (Q-Tray)	6	1	MPN/100 mL	2026-02-03	

Sample Qualifiers:

- FILT The sample has been filtered for PDP in the laboratory. Results may not reflect conditions at the time of sampling.
- HT2 The 15 minute recommended holding time (from sampling to analysis) has been exceeded - field analysis is recommended.
- PRES Sample has been preserved for PDP, NH3, TKN in the laboratory and the holding time has been extended.
- RE2 Result was confirmed by re-analysis prior to reporting.



APPENDIX 1: SUPPORTING INFORMATION

REPORTED TO PROJECT Campbell Scientific Canada Corp.
Cherryville Waterways

WORK ORDER REPORTED 26B0187
2026-02-08 11:00

Analysis Description	Method Ref.	Technique	Accredited	Location
Ammonia, Total in Water	SM 4500-NH3 G* (2021)	Automated Colorimetry (Phenate)	✓	Kelowna
Anions in Water	SM 4110 B (2020)	Ion Chromatography	✓	Kelowna
Coliforms, Total in Water	SM 9223 (2016)	Quanti-Tray / Enzyme Substrate Endo Agar	✓	Kelowna
Conductivity in Water	SM 2510 B (2021)	Conductivity Meter	✓	Kelowna
E. coli in Water	SM 9223 (2016)	Quanti-Tray / Enzyme Substrate Endo Agar	✓	Kelowna
Nitrogen, Total Kjeldahl in Water	SM 4500-Norg D* (2021)	Block Digestion and Flow Injection Analysis	✓	Kelowna
pH in Water	SM 4500-H+ B (2021)	Electrometry	✓	Kelowna
Phosphorus, Total Dissolved in Water	SM 4500-P B.5* (2011) / SM 4500-P F (2021)	Persulfate Digestion / Automated Colorimetry (Ascorbic Acid)	✓	Kelowna
Solids, Total Dissolved in Water	Solids in Water, Filtered / SM 2540 C* (2020)	Solids in Water, Filtered / Gravimetry (Dried at 103-105C)	✓	Kelowna
Turbidity in Water	SM 2130 B (2020)	Nephelometry	✓	Kelowna

Note: An asterisk in the Method Reference indicates that the method has been modified from the reference method

Glossary of Terms:

RL	Reporting Limit (default)
<	Less than the specified Reporting Limit (RL) - the actual RL may be higher than the default RL due to various factors
mg/L	Milligrams per litre
MPN/100 mL	Most Probable Number per 100 millilitres
NTU	Nephelometric Turbidity Units
pH units	pH < 7 = acidic, pH > 7 = basic
µS/cm	Microsiemens per centimetre
SM	Standard Methods for the Examination of Water and Wastewater, American Public Health Association

General Comments:

The results in this report apply to samples received by CARO and analyzed in accordance with the Chain of Custody document. This analytical report must be reproduced in its entirety and must not be modified. CARO is not responsible for losses or damages resulting directly or indirectly from errors or omissions in the conduct of the testing. Any liability is limited to the cost of analysis. CARO will dispose of all samples within 30 days of sample receipt, unless otherwise agreed. The quality control (QC) data is available upon request

Results in **Bold** indicate values that are above CARO's method reporting limits. Results in **red** indicate values above the regulatory limits where these have been included. Any Bold and/or highlighted results do not take into account method uncertainty. If you would like method uncertainty or regulatory limits to be included on your report, please contact your Account Manager: djose@caro.ca

Regulatory limits are added to test reports on request and are as a convenience only. While CARO makes every effort to ensure accuracy of regulatory limits, CARO assumes no liability for the use of this information. It remains the client's responsibility to ensure that regulatory limits are correct for their circumstances.