LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

CLIENT	Mid Shuswap Lumby Water Stewards		
PO NUMBER	Mid Shuswap Lumby Water Stewards	**QUOTATION ID**	RDNO Master Bid
PROJECT	Analytical Testing	**SUBMITTED BY**	
PROJECT INFO	Mid Shu Lumby	**COC NO.**	40837.5581

By engaging our services, you are agreeing to CARO's Standard Terms and Conditions outlined here: https://www.caro.ca/terms-conditions

Receipt Details:

RECEIVED	11/16/2026 12:48:00	**SAMPLES LOGGED IN**	5
LOCATION	Kelowna Lab	**LOGGED IN**	11/16/2026 3:06:00 P
DISPOSAL DATE	12/16/2026	**ACCOUNT MGR**	Hanane El Hannaoui

Sample Condition Summary: Quantity of Transport Vessels Received: 1

Receipt Temperature = 4.8°C

Cooling Initiated	Yes	Client or Project Info Unclear	No
Enviro Samples >10°C	No	Turnaround Time Requested Unclear	No
Micro Samples >8°C	No	Analysis Request Unclear	No
Samples Frozen	No	Client Sample ID Discrepancy	No
Custody Seals Intact		Sampling Date(s) or Time Missing	No
Incorrect Cont./Pres.	Yes	Samples Received Not on COC	No
Broken Container(s)	No	Samples on COC Not Submitted	No

***Note:** Sample transport temperatures of less than 8°C for microbiological parameters (when applicable) and less than or equal to 10°C for environmental parameters is recommended. Samples that exceed these values will still be processed. However, please note that the analytical results may be affected, especially for samples collected prior to the day of receipt.*

REPORT TO
Russ Collins
Mid Shuswap Lumby Water Stewards
1631 Mable Lake Rd
Lumby, BC V0E 2G6
Tel: (250) 547-2554

INCLUDE QC	No
INCLUDE COC	No
EXTRAS	Guidelines

INVOICE TO
Andrew Hunsberger
Regional District of North Okanagan - GVWU
9848 Aberdeen Road
Coldstream, BC V1B 2K9
Tel: (250) 550-3700

FREQUENCY	Monthly
GST EXEMPT	No
PAYMENT TERMS	COD
MIN AMOUNT	N/A

Delivery Plan:

REPORT DUE 11/23/2026 5:00:00 P to 2026-11-25 17:00 (5-7 day TAT)

Contact Name	Email / Fax / Cellular	Login Notice	Report	Invoice	EDD	EDD Format	CC to	Fax	Text	Mail
Russ Collins	russ.m.collins@gmail.com	✓	✓		✓	Simple Excel				
Accounts Payable	financeap@rdno.ca			✓			russ.m.collins@gmail.com			

LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Analysis Schedule:

Analysis / Version	Due	Expires [1]	Status [2]	Comments

CR00 (26K1711-01) | Matrix: Water | Sampled: 11/15/2026 3:30:00 P |

Container(s) Submitted:
A = C07_300 mL Plastic (Micro-S) *B = S47_Misc Plastic Container* *C = C10_125 mL Plastic (H2SO4)*
D = S10_125 mL Plastic (H2SO4-F) *E = C05_125 mL Plastic (Metals)* *F = C06_40 mL Vial (Mercury)*

Ammonia, Total	2026-11-25	2026-12-13	Available
Chloride	2026-11-25	2026-12-13	Available
Coliforms, Total & E. coli (MPN)	2026-11-25	2026-11-16	Available
Metals, total, Low level	2026-11-25	2027-05-14	Available
Nitrogen, Total Pkg (incl. TKN, NO3, NO2)	2026-11-25	2026-11-18	Available
Phosphorus, Dissolved Reactive	2026-11-25	2026-11-18	Available
Phosphorus, Total by Colorimetry	2026-11-25	2026-12-13	Available
Phosphorus, Total Dissolved by Colorimetry	2026-11-25	2026-12-13	Available
Solids, Total Suspended	2026-11-25	2026-11-22	Available
Sulfate	2026-11-25	2026-12-13	Available
Turbidity	2026-11-25	2026-11-18	Available

Sample Qualifiers:

FILT	The sample has been filtered for Diss.Ph in the laboratory. Results may not reflect conditions at the time of sampling.
PRES	Sample has been preserved for Diss.Ph in the laboratory and the holding time has been extended.

CR13 (26K1711-02) | Matrix: Water | Sampled: 11/15/2026 3:15:00 P |

Container(s) Submitted:
A = C07_300 mL Plastic (Micro-S) *B = C11_1 L Plastic (General)* *C = C10_125 mL Plastic (H2SO4)*
D = S10_125 mL Plastic (H2SO4-F) *E = C05_125 mL Plastic (Metals)* *F = C06_40 mL Vial (Mercury)*

Ammonia, Total	2026-11-25	2026-12-13	Available
Chloride	2026-11-25	2026-12-13	Available
Coliforms, Total & E. coli (MPN)	2026-11-25	2026-11-16	Available
Metals, total, Low level	2026-11-25	2027-05-14	Available
Nitrogen, Total Pkg (incl. TKN, NO3, NO2)	2026-11-25	2026-11-18	Available
Phosphorus, Dissolved Reactive	2026-11-25	2026-11-18	Available
Phosphorus, Total by Colorimetry	2026-11-25	2026-12-13	Available
Phosphorus, Total Dissolved by Colorimetry	2026-11-25	2026-12-13	Available
Solids, Total Suspended	2026-11-25	2026-11-22	Available
Sulfate	2026-11-25	2026-12-13	Available
Turbidity	2026-11-25	2026-11-18	Available

Sample Qualifiers:

FILT	The sample has been filtered for Diss.Ph in the laboratory. Results may not reflect conditions at the time of sampling.
PRES	Sample has been preserved for Diss.Ph in the laboratory and the holding time has been extended.

CR14 (26K1711-03) | Matrix: Water | Sampled: 11/15/2026 2:45:00 P |

Container(s) Submitted:
A = C07_300 mL Plastic (Micro-S) *B = C11_1 L Plastic (General)* *C = C10_125 mL Plastic (H2SO4)*
D = S10_125 mL Plastic (H2SO4-F) *E = C05_125 mL Plastic (Metals)* *F = C06_40 mL Vial (Mercury)*

Ammonia, Total	2026-11-25	2026-12-13	Available
Chloride	2026-11-25	2026-12-13	Available

LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Analysis Schedule, Continued:

Analysis / Version	Due	Expires [1]	Status [2]	Comments
CR14 (26K1711-03) | Matrix: Water | Sampled: 11/15/2026 2:45:00 P | , Continued				
Coliforms, Total & E. coli (MPN)	2026-11-25	2026-11-16	Available	
Metals, total, Low level	2026-11-25	2027-05-14	Available	
Nitrogen, Total Pkg (incl. TKN, NO3, NO2)	2026-11-25	2026-11-18	Available	
Phosphorus, Dissolved Reactive	2026-11-25	2026-11-18	Available	
Phosphorus, Total by Colorimetry	2026-11-25	2026-12-13	Available	
Phosphorus, Total Dissolved by Colorimetry	2026-11-25	2026-12-13	Available	
Solids, Total Suspended	2026-11-25	2026-11-22	Available	
Sulfate	2026-11-25	2026-12-13	Available	
Turbidity	2026-11-25	2026-11-18	Available	

Sample Qualifiers:

FILT	The sample has been filtered for Diss.Ph in the laboratory. Results may not reflect conditions at the time of sampling.
PRES	Sample has been preserved for Diss.Ph in the laboratory and the holding time has been extended.

CR15 (26K1711-04) | Matrix: Water | Sampled: 11/15/2026 2:35:00 P |

Container(s) Submitted:

A = C07_300 mL Plastic (Micro-S)	*B = C11_1 L Plastic (General)*	*C = C10_125 mL Plastic (H2SO4)*
D = S10_125 mL Plastic (H2SO4-F)	*E = C05_125 mL Plastic (Metals)*	*F = C06_40 mL Vial (Mercury)*

Ammonia, Total	2026-11-25	2026-12-13	Available	
Chloride	2026-11-25	2026-12-13	Available	
Coliforms, Total & E. coli (MPN)	2026-11-25	2026-11-16	Available	
Metals, total, Low level	2026-11-25	2027-05-14	Available	
Nitrogen, Total Pkg (incl. TKN, NO3, NO2)	2026-11-25	2026-11-18	Available	
Phosphorus, Dissolved Reactive	2026-11-25	2026-11-18	Available	
Phosphorus, Total by Colorimetry	2026-11-25	2026-12-13	Available	
Phosphorus, Total Dissolved by Colorimetry	2026-11-25	2026-12-13	Available	
Solids, Total Suspended	2026-11-25	2026-11-22	Available	
Sulfate	2026-11-25	2026-12-13	Available	
Turbidity	2026-11-25	2026-11-18	Available	

Sample Qualifiers:

FILT	The sample has been filtered for Diss.Ph in the laboratory. Results may not reflect conditions at the time of sampling.
PRES	Sample has been preserved for Diss.Ph in the laboratory and the holding time has been extended.

CR17 (26K1711-05) | Matrix: Water | Sampled: 11/15/2026 2:10:00 P |

Container(s) Submitted:

A = C07_300 mL Plastic (Micro-S)	*B = C11_1 L Plastic (General)*	*C = C10_125 mL Plastic (H2SO4)*
D = S10_125 mL Plastic (H2SO4-F)	*E = C05_125 mL Plastic (Metals)*	*F = C06_40 mL Vial (Mercury)*

Ammonia, Total	2026-11-25	2026-12-13	Available	
Chloride	2026-11-25	2026-12-13	Available	
Coliforms, Total & E. coli (MPN)	2026-11-25	2026-11-16	Available	
Metals, total, Low level	2026-11-25	2027-05-14	Available	
Nitrogen, Total Pkg (incl. TKN, NO3, NO2)	2026-11-25	2026-11-18	Available	
Phosphorus, Dissolved Reactive	2026-11-25	2026-11-18	Available	
Phosphorus, Total by Colorimetry	2026-11-25	2026-12-13	Available	

LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Analysis Schedule, Continued:

Analysis / Version	Due	Expires [1]	Status [2]	Comments
CR17 (26K1711-05) | Matrix: Water | Sampled: 11/15/2026 2:10:00 P | , Continued				
Phosphorus, Total Dissolved by Colorimetry	2026-11-25	2026-12-13	Available	
Solids, Total Suspended	2026-11-25	2026-11-22	Available	
Sulfate	2026-11-25	2026-12-13	Available	
Turbidity	2026-11-25	2026-11-18	Available	

Sample Qualifiers:

FILT	The sample has been filtered for Diss.Ph in the laboratory. Results may not reflect conditions at the time of sampling.
PRES	Sample has been preserved for Diss.Ph in the laboratory and the holding time has been extended.

1 *Red font indicates that the analysis has already or is about to expire. Note that all pH in water / Chlorine / Temperature / Dissolved Oxygen results will be automatically be qualified as they should be analyzed in the field for greatest accuracy.*

2 *Subcontracted samples will be sent to a CARO-approved subcontract laboratory for testing, in accordance with our Terms and Conditions. For further information, please contact your account manager or teamcaro@caro.ca*

Packages and their respective Analyses included in this Work Order:

Coliforms, Total & E. coli (MPN)

Coliforms, Total (MPN)	E. coli (MPN)

Metals, total, Low level

Aluminum, total, Low level	Antimony, total, Low level	Arsenic, total, Low level
Barium, total, Low level	Beryllium, total, Low level	Bismuth, total, Low level
Boron, total, Low level	Cadmium, total, Low level	Calcium, total, Low level
Chromium, total, Low level	Cobalt, total, Low level	Copper, total, Low level
Hardness, Total (as CaCO3) (Calc)	Iron, total, Low level	Lead, total, Low level
Lithium, total, Low level	Magnesium, total, Low level	Manganese, total, Low level
Molybdenum, total, Low level	Nickel, total, Low level	Phosphorus, total, Low level
Potassium, total, Low level	Selenium, total, Low level	Silicon, total, Low level
Silver, total, Low level	Sodium, total, Low level	Strontium, total, Low level
Sulfur, total, Low level	Tellurium, total, Low level	Thallium, total, Low level
Thorium, total, Low level	Tin, total, Low level	Titanium, total, Low level
Tungsten, total, Low level	Uranium, total, Low level	Vanadium, total, Low level
Zinc, total, Low level	Zirconium, total, Low level	

Nitrogen, Total Pkg (incl. TKN, NO3, NO2)

Nitrate by IC	Nitrate+Nitrite (as N) (Calc)	Nitrite by IC
Nitrogen, Total (Calc)	Nitrogen, Total Kjeldahl	

LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Each Analysis includes the following Analytes and their respective Reporting Limits [RLs]:			
Ammonia, Total in Water		*Reference Method: SM 4500-NH3 G* (2021)*	*Units: mg/L*
Ammonia, Total (as N) [0.05]			
Anions by IC in Water		*Reference Method: SM 4110 B (2020)*	*Units: mg/L*
Nitrate (as N) [0.01]	Nitrite (as N) [0.01]		
Chloride in Water		*Reference Method: SM 4110 B (2020)*	*Units: mg/L*
Chloride [0.1]			
Coliforms, Total (MPN) in Water		*Reference Method: SM 9223 (2016)*	*Units: MPN/100 mL*
Coliforms, Total (Q-Tray) [1]			
E. coli (MPN) in Water		*Reference Method: SM 9223 (2016)*	*Units: MPN/100 mL*
E. coli (Q-Tray) [1]			
Nitrogen, Total Kjeldahl in Water		*Reference Method: SM 4500-Norg D* (2021)*	*Units: mg/L*
Nitrogen, Total Kjeldahl [0.05]			
Phosphorus, Dissolved Reactive in Water		*Reference Method: SM 4500-P F (2021)*	*Units: mg/L*
Phosphorus, Dissolved Reactive [0.005]			
Phosphorus, Total by Colorimetry in Water		*Reference Method: SM 4500-P B.5* (2011) / SM 4500-P F (2021)*	*Units: mg/L*
Phosphorus, Total (as P) [0.005]			
Phosphorus, Total Dissolved by Colorimetry in Water		*Reference Method: SM 4500-P B.5* (2011) / SM 4500-P F (2021)*	*Units: mg/L*
Phosphorus, Total Dissolved [0.005]			
Solids, Total Suspended in Water		*Reference Method: SM 2540 D* (2020)*	*Units: mg/L*
Solids, Total Suspended [1.8]			
Sulfate in Water		*Reference Method: SM 4110 B (2020)*	*Units: mg/L*
Sulfate [1]			

LOGIN NOTICE CONFIRMATION (Work Order 26K1711)

THIS IS NOT A REPORT

Need help reading your Login Notice? Check out this handy article:
https://www.caro.ca/quick-guide-to-your-login-notice-how-to-review-your-sample-submission/

Total Metals by ICPMS in Water			
Reference Method: EPA 200.2 / EPA 6020B Low Level			*Units: ug/L*
Aluminum, total [2]	Antimony, total [0.05]	Arsenic, total [0.05]	Barium, total [0.1]
Beryllium, total [0.01]	Bismuth, total [0.01]	Boron, total [2]	Cadmium, total [0.002]
Calcium, total [50]	Chromium, total [0.5]	Cobalt, total [0.005]	Copper, total [0.2]
Iron, total [2]	Lead, total [0.05]	Lithium, total [0.05]	Magnesium, total [5]
Manganese, total [0.05]	Molybdenum, total [0.01]	Nickel, total [0.04]	Phosphorus, total [10]
Potassium, total [20]	Selenium, total [0.1]	Silicon, total [100]	Silver, total [0.01]
Sodium, total [20]	Strontium, total [0.1]	Sulfur, total [1000]	Tellurium, total [0.05]
Thallium, total [0.004]	Thorium, total [0.01]	Tin, total [0.1]	Titanium, total [0.2]
Tungsten, total [0.2]	Uranium, total [0.001]	Vanadium, total [1]	Zinc, total [1]
Zirconium, total [0.02]			

Turbidity in Water		
Reference Method: SM 2130 B (2020)		*Units: NTU*
Turbidity [0.1]		

Note: RLs on Final Report may be higher than expected due to: 1) limited sample volume, 2) high moisture, 3) analytical interferences

Please verify that all of the information included in this Login Notice is correct. If there are any errors, omissions, or concerns, please contact us at 1-888-311-8846.

You can expect to receive the analytical report via email on or after the due date shown above.

Thank you for using CARO!

26K17111

ANALYTICAL SERVICES

☐ 110 - 4011 VIKING WAY, RICHMOND, BC V6V 2K9
TEL: (604) 279-1499 FAX: (604) 279-1599

☒ 102 - 3677 HIGHWAY 97N, KELOWNA, BC V1X 5C3
TEL: (250) 765-9646 FAX: (250) 765-3893

☐ 17225 - 109 AVENUE NW, EDMONTON, AB T5S 1H7
TEL: (780) 489-9100 FAX: (480) 489-9700

CARO BC COC, Rev 03/13

CHAIN-OF-CUSTODY RECORD

COC# 40837.5581 Page 1 of 1

RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE:
	TIME:		TIME:
RELINQUISHED BY:	DATE:	RECEIVED BY: Walk-In	DATE: Nov 16 17
	TIME:		TIME: 12:48

REPORT TO:
COMPANY: Mid Shuswap Lumby Water Steward
ADDRESS:
CONTACT: Russ Collins
TEL / FAX: 250 503 8038
EMAIL PDF ☒ EDD ☐
EMAIL 1: russcollins1@hotmail.com
EMAIL 2: wendy.sherman@rdno.ca
MAIL HARDCOPY ☐ HOLD FOR P/U ☐ FAX ☐

INVOICE TO: SAME AS REPORT TO ☐
COMPANY: RDNO
ADDRESS: 9848 Aberdeen Rd
Coldstream, BC V1B 2K9
CONTACT: Stephanie Everett
TEL / FAX: 250 550 3733
EMAIL PDF ☒
EMAIL 1: wendy.sherman@rdno.ca
EMAIL 2: russcollins1@hotmail.com
MAIL HARDCOPY ☐ HOLD FOR P/U ☐

PROJECT: Mid Shu Lumby
PROJECT INFO:
PO #:
SAMPLED BY:
SHIPPING INSTRUCTIONS: RETURN COOLER(S) ☒
SHIP SUPPLIES (PLEASE SPECIFY IN OTHER INSTRUCTIONS SECTION) ☐

TURNAROUND Routine (4-7 days) ☒ Other:
TIME REQUESTED: Rush:* 1 Day ☐ 2 Day ☐ 3 Day ☐ * Contact the lab to confirm, surcharges may apply

ANALYSES REQUESTED:

	CLIENT SAMPLE ID:	MATRIX: DRINKING WATER	OTHER WATER	SOIL	OTHER	# CONTAINERS	SAMPLING: DATE DD-MMM-YY	TIME HH:MM	COMMENTS: CHLORINATED	FILTERED	PRESERVED	(i.e. flow/volume media ID/notes)	Chloride	Nitrogen, Nitrate as N	Nitrogen, Nitrite as N	Nitrogen, Total Kjeldahl	Nitrogen, Nitrate + Nitrite as N	Nitrogen, Total	Total Ammonia-N	Sulphate	Orthophosphate	Phosphorus, Total Kieldahl	Phosphorus, Total Kieldahl Dissolved	Turbidity	Total Suspended Solids	E. coli	Total Coliforms	METALS – Water Total	HOLD
	CR00	☐	☒	☐	☐	3	15-Nov-26	3:30	☐	☐	☐		☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
	CR13	☐	☒	☐	☐	3	15-Nov-26	3:15	☐	☐	☐		☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
	CR14	☐	☒	☐	☐	3	15-Nov-26	2:45	☐	☐	☐		☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
	CR15	☐	☒	☐	☐	3	15-Nov-26	2:35	☐	☐	☐		☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
	CR17	☐	☒	☐	☐	3	15-Nov-26	2:10	☐	☐	☐		☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐				☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

APPLICABLE REGULATORY LIMITS:
Canadian Drinking Water Quality Guidelines ☐
BC Drinking Water Protection Act/Reg. ☐
BC CSR: AL ☐ RL ☐ CL ☐ IL ☐ AW ☐
CCME ☐ Alberta Tier 1 ☐
OTHER:

SAMPLE RETENTION INSTRUCTIONS (Discarded 30 days after Report unless otherwise specified):
60 Days ☐ 90 Days ☐ Longer Date (Surcharges will apply):

OTHER INSTRUCTIONS:
Please send results in raw Excel (no pivot table) + PDF

PAYMENT
Cheque ☐
Credit ☐
Debit ☐
Cash ☐
Invoice ☒

SAMPLE RECEIPT TEMP (°C): 1.8
Work Order #
CUSTODY SEALS INTACT: ☐Y ☐N ☐NA

Required Fields Recommended Fields **SHADED AREAS:** LAB USE ONLY